SAFETY DATA SHEET

Issued Date 2009/9/28
Revision Date 2025/4/2

1. Identification of the product and of the company

* Product name Water-Based Floor Varnish

* Reference number 24101

* Manufacturer Washin Paint Co., Ltd.

* Address 2100-18, Kamiyoshiba, Satte-shi, Saitama 340-0121, Japan

* Phone No. 0480-48-2021 * FAX No. 0480-48-2024 * Emergency contact 0480-48-2021

* Product type Acrylic urethane resin paint

* Principal use Wood paint

2. Hazards identification

[Classification]

Hazards	Category	Signal word	
Tiazaius	Hazard statement		
Flammable liquids	Not classified		
r lammable fiquids			
Acute toxicity (Oral)	Not classified		
Additionally (Orall)			
Acute toxicity (Dermal)	Not classified		
Nodes toxistey (Borrial)			
Acute toxicity (Gases)	Not classified		
, toute textoley (dueses)			
Acute toxicity (Vapors)	Not classified		
Acute toxicity (Vapors)			
Acute toxicity (Mists)	Not classified		
Acute toxicity (Mists)			
Skin corrosion/irritation	Not classified		
OKIII GOTTOSIOTI/ ITTLALIOTI			
Serious eye damage/eye irritation	Not classified		
Serious eye damage/ eye irritation			
Respiratory sensitization	Classification not possible		
Respiratory sensitization			
Skin sensitization	Classification not possible		
Skiri serisitization			
Germ cell mutagenicity	Classification not possible		
Germ Cen mutagementy			
Carcinogenicity	Classification not possible		
Carcinogenicity			
	Classification not possible		
Reproductive toxicity			
Specific target organ toxicity	Category 2	Warning	
Single exposure	May cause damage to organs		
Specific target organ toxicity	Category 2	Warning	
Repeated exposure	May cause damage to organs through prol	onged or repeated exposure	
Applyation beyond	Not classified		
Aspiration hazard			
Hazardous to aquatic environment	Not classified		
Acute			
Hazardous to aquatic environment	Not classified		
Chronic			
Hazardana ta the seems leven	Classification not possible		
Hazardous to the ozone layer			

- * If the signal word "Danger" applies, the signal word "Warning" should not appear.
- * For the details with "Specific target organ toxicity", refer to "11. Toxicological information".

[Symbol]

Health hazard



[Precautionary statement]

(Prevention)

- * Obtain and understand special instructions before use.
- * Do not eat, drink or smoke when using this product.
- $\boldsymbol{\ast}$ Wear protective gloves and eye/face protection when it needs.
- * Wash hands thoroughly and gargle after handling.

(Response)

- * In case of fire, use CO2/powder/foams for extinction.
- * If in eyes: Rince cautiously with water, get medical advice/attention.
- * If on skin or clothing: Wash with plenty of soap and water. Take off contaminated clothing and exchange it.
- * If skin irritation occurs: Get medical advice/attention.
- * If exposed or concerned of exposure: Get medical advice/attention.

(Storage)

* Store container in the place which well-ventilated and cool.

(Disposal)

- * Do not dispose contents/container to the river and the sewage.
- * Dispose of contents/container in accordance with local/regional/national regulation.

3. Composition/information on ingredients

Property

Mixture

Product type

Acrylic urethane resin paint

Ingredient name	Weight (%)	CAS No.	Chemical formula	Duty of notify
water	50~60	7732-18-5	H2O	_
resin	30~40	_	_	_
1-(2-butoxy-1-methylethoxy)propan-2-ol	5 ~ 10	29911-28-2	C10H22O3	0
propylene glycol	1~5	57-55-6	C3H8O2	0
additive	0~1	_	_	_

4. First-aid measures

(If swallowed)

- * Do not induce vomiting. Keep at rest and get medical attention immediately.
- * Do not swallow vomit.

(If inhaled)

* Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

(If on skin)

* Wipe off quickly with cloth and wash with plenty of water and soap.

Do not use solvents or thinners.

* If skin irritation or pain occurs, get medical advice/attention.

(If in eyes)

- * Wash with plenty of clean water for at least 15 minutes immediately, including behind the eyelids.
- * Get medical attention as soon as possible.

5. Fire-fighting measures

(Suitable extinguishing media)

* Water (\bigcirc), CO2 (\bigcirc), Foam (\bigcirc), Powder (\bigcirc), Dry sand (\bigcirc), Other (

(Specific hazards arising from the product)

- * This product itself is non-flammable, but the dry product after the water has evaporated is flammable.
- * Will form toxic carbon monoxides upon combustion.

(Specific extinguishing method)

- * Inform fire station of the location and the hazardous/toxicological information of fire.
- * Prevent spills from entering sewers, watercourses.
- * Wear respiratory protection and protective gloves.
- * Remove quickly all flammable materials from the area.
- * Use the suitable extinguishing medias.
- * Do fire fighting from the windward.

(Special protective equipment and precautions for fire-fighters)

* Wear respiratory protective equipment/chemical protective clothing/gloves/boots/glasses/masks as necessary.

6. Accidental release measures

(Personal precautions, protective equipment and emergency procedures)

* Wear protective equipment (gloves, protective mask, apron, goggles, etc.).

(Environmental precautions)

- * Prevent spills from entering sewers, watercourses.
- * If contamination of sewer pipes or waterways occurs, notify appropriate authorities.

(Methods and materials for containment and cleaning up)

- * Collect spills in sealable containers and move to a safe place.
- * Absorb spills with inert material (dry sand, earth, et al).
- * Water spray mist may be used to absorb the diffusion of Vapors.
- * Dispose of waste in accordance with applicable laws and regulations.

7. Handling and storage

(Handling: Technical measure)

- * Handle in accordance with relevant laws and regulations (the Industrial Safety and Health Act and the Fire Service Act, etc.).
- * Follow the correct work procedures, ventilate well and keep the working environment below TLV.
- * After handling, always wash with soap and water. Launder work clothing separately from other clothing.

(Handling: Notice)

- * Avoid contact with strong oxidizing agent.
- * Take caution as heat, acidic and alkaline substances may induce a reaction.
- * Use containers that are not damaged, corroded or cracked.
- * Used containers should be collected in the designated area.

(Storage)

* Store in a cool, well-ventilated place in a tightly closed container.

8. Exposure controls/personal protection

Standard control concentration, threshold limit value etc.

(Control parameters e.g. occupational exposure limit values or biological limit values)

Ingredient name	Standard control	Threshold	ACGIH	PRTR	Skin harmful substances	
Ingredient name	concentration	limit value	(TLV)		Irritation	Absorption
water	_	_	_	_	_	_
resin	_	_	_	_	_	_
1-(2-butoxy-1-methylethoxy)propan-2-ol	_	_	_	_	_	_
propylene glycol	_	_	_	_	_	_
additive	_	_	_	_	_	_

(Equipment measure)

- * Install safety showers, hand- and face-washing facilities near handling areas and clearly indicate their locations.
- * Post signs such as "NO UNAUTHORIZED ENTRY" in easily visible locations.

(Protection measure)

* Wear the following protective equipment as necessary:

Air supply masks, air SCBA, oxygen SCBA, gas masks, protective goggles, impermeable protective gloves, protective boots, protective clothing

- * Check protective equipment regularly using a checklist.
- * Do not eat, drink, or smoke while handling.
- * After handling, wash hands with soap before eating, drinking, or smoking.
- * If you experience asthma symptoms while using this product, do not come into contact with it again as it may cause the same symptoms.
- * Contact lenses pose a special hazard.

Soft lenses should not be used because they can absorb irritants and concentrate them.

* Wear impermeable chemical protective gloves and antistatic safety shoes.

9. Physical and chemical properties

(Physical state: Liquid)

Liquid color	Milky	Density	1.05	g/mL (25°C)
Odor	Slight resin Odor	рН	7 - 9	

10. Stability and reactivity

(Chemical stability)

* Stable under normal storage/handling conditions.

(Possibility of hazardous reactions)

- * Reacts with oxidizing agents.
- * No other reactions were informed.

(Conditions to avoid)

- * Avoid heat and sources of ignition (flames, sparks, etc.).
- * Organic solvent vapors
- * Heat, light, metal powders and peroxides

11. Toxicological information

Ingredient name	Acute toxicity				
Ingredient name	Oral	Dermal	Gases	Vapors	
water	Not classified	Not classified	Not classified	Not classified	
resin	Not classified	Not classified	Not classified	Not classified	
1-(2-butoxy-1-methylethoxy)propan-2-ol	Not classified	Not classified	Not classified	Classification not possible	
propylene glycol	Not classified	Not classified	Not classified	Classification not possible	
additive	Classification not possible	Classification not possible	Not classified	Classification not possible	

Ingredient name	Acute toxicity Mists	Skin corrosion/ irritation	Serious eye damage/ eye irritation	Respiratory sensitization
water	Not classified	Not classified	Not classified	Not classified
resin	Not classified	Not classified	Not classified	Not classified
1-(2-butoxy-1-methylethoxy)propan-2-ol	Classification not possible	Not classified	Not classified	Classification not possible
propylene glycol	Classification not possible	Not classified	Not classified	Classification not possible
additive	Classification not possible	Classification not possible	Classification not possible	Classification not possible

Ingredient name	Skin sensitization	Germ cell mutagenicity	Carcinogenicity	Reproductive toxicity
water	Not classified	Not classified	Not classified	Not classified
resin	Not classified	Not classified	Not classified	Not classified
1-(2-butoxy-1-methylethoxy)propan-2-ol	Not classified	Classification not possible	Classification not possible	Classification not possible
propylene glycol	Not classified	Classification not possible	Classification not possible	Classification not possible
additive	Classification not possible	Classification not possible	Classification not possible	Classification not possible

Ingredient name	Specific target	Aspiration hazard	
Ingredient name	Single exposure	Repeated exposure	Aspiration nazaru
water	Not classified	Not classified	Not classified
resin	Not classified	Not classified	Not classified
1-(2-butoxy-1-methylethoxy)propan-2-ol	Classification not possible	Category 2	Classification not possible
propylene glycol	Category 1, 3	Category 1, 3	Classification not possible
additive	Classification not possible	Classification not possible	Classification not possible

^{*} This information is specific to the chemical substance and is not dependent on the concentration.

12. Ecological information

Ingredient name	Hazardous to aquatic environment			
Ingredient name	Acute	Chronic	Ozone layer	
water	Not classified	Not classified	Classification not possible	
resin	Not classified	Not classified	Classification not possible	
1-(2-butoxy-1-methylethoxy)propan-2-ol	Not classified	Not classified	Classification not possible	
propylene glycol	Not classified	Not classified	Classification not possible	
additive	Classification not possible	Classification not possible	Classification not possible	

* This information is specific to the chemical substance and is not dependent on the concentration.

* Persistence and degradability

* Bioaccumulative potential

* Mobility in soil

There is no data available for the mixture.

There is no data available for the mixture.

13. Disposal considerations

- * When disposing of this product, ask an industrial waste disposal company to handle the disposal.
- * Dispose of container after using the contents completely.
- * Dispose of the contents/container in accordance with local/national regulations.

14. Transport information

(National regulations)

* There are no specific regulations.

(International regulations)

* UN number None

* UN classification Not considered a dangerous goods according to the definition of the UN recommendations.

(Special precautions)

- * When transporting by vehicle, etc., carry the transportation precautions and Yellow Card.
- * Check the container is tightly sealed and there are no leaks before transport.
- * To prevent containers from being damaged, secure them tightly and use cushioning material if necessary.

15. Regulatory information

st Industrial Safety and Health Act

Dangerous goods

Ordinance on Prevention of Organic Solvent Poisoning

Ordinance on Prevention of Lead Poisoning

Ordinance on Prevention of Lead Poisoning

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable
Skin irritant harmful substances

Not applicable
Skin absorbable harmful substances

Not applicable

* Pollutant Release and Transfer Register Law

Not listed

Poisonous and Deleterious Substances Control Act

Fire Service Act

Not applicable

Ship Safety Act

Not applicable

Offensive Odor Control Law

Not listed

16. Other information

(Main references)

- * Data published by the National Institute of Technology and Evaluation
- * Japan Paint Manufacturers Association,

"Raw Materials Database"

 $\hbox{\tt "GHS-compliant SDS/Label Creation Guidebook [Mixtures (for paints)]"}$

"Model MSDS/Model Label Examples [Mixtures (for paints)]"

* Japan Industrial Safety and Health Association,

"GHS-compliant Training Text for Creating MSDS of Mixtures (chemicals)"

* SSOCJ, "New Edition Solvent Pocket Book"

* "Disaster Prevention and First Aid Handbook"

* International Chemical Safety Cards (ICSC)

* SDS of raw materials

(Notice)

- * This data sheet is based on our current knowledge and is intended as a description of health, safety and environmental information.
- * We do not guarantee any content, physical or chemical properties, hazards, etc.
- * When using, ensure safe handling conditions.
- * All chemical products may have unknown hazards and harmful effects, so they must be handled with the utmost care.
- * The scope of application of this data sheet is limited to Japan.